

VLC™

Industrial Floor Scales

Commercial Duty



## Rugged Floor Scales for Demanding Industrial Applications

METTLER TOLEDO

INDUSTRIAL  
FLOOR SCALES

# A Versatile Weighing Solution for All Types of Environments

- ❑ Rugged industrial scales designed to handle forklift traffic
- ❑ Stainless steel designs meet food industry standards
- ❑ Adjustable feet for leveling the scale on uneven floors

Our 2256 VLC floor scales are fully electronic with a low profile that makes them easy to load and unload. They are rugged enough to stand up to tough industrial environments. Optional 304 and 316 stainless steel versions are designed specifically for the harsh, wet environments of the food industry. Capable of withstanding 100% end loading, these floor scales are ideal for handling the forklift traffic and concentrated-load applications that are common to shipping and receiving operations.

## For All Environments

No matter what industrial environment you work in, we have a weighing solution. VLC floor scales are available in three types of material:

- Carbon steel painted with a durable, two-part epoxy finish for industrial environments.
- 304 stainless steel for extra protection in washdown and corrosive environments.
- 316 stainless steel for caustic and extreme cleaning applications.

All VLC floor scales are equipped with stainless steel load cells that are hermetically sealed and NEMA 4X/IP65 stainless steel junction boxes.

## For All Applications

VLC floor scales can be installed in a pit, on top of the floor, or used as portable scales. Our Quick-Pit frames ensure a perfectly square pit installation that is flush with the floor. For permanent, top-of-floor installations, locating plates can be used to keep the scale in position. Adjustable feet make it easy

to level the scales on uneven floors, simplifying the task of setting them up in a variety of locations. Top-of-floor installations can be equipped with ramps to make them easily accessible from all four sides. Our standard tread-plate surface on mild steel products provides safe footing for workers.

## Custom Designs


VLC floor scales are available in a wide range of standard sizes and capacities. Plus, we can engineer and manufacture custom scales to meet your specific requirements. With our design technology and world class manufacturing capabilities, we can deliver the highest quality custom scales to you in the shortest time possible.

## Hazardous Areas

Our load cells are approved for use in hazardous areas in most markets. They carry Factory Mutual, European Ex, and Canadian CSA Ex approvals when used with a METTLER TOLEDO intrinsically safe terminal.

## Factory Calibration


For the ultimate in quick and easy setup, we can supply your VLC floor scale with a terminal that is wired and calibrated at the factory. This option makes the scale fully operational right out of the box, so that you can set it up and start weighing immediately. Choose from a desk/wall HAWK terminal or a stainless steel HAWK or PANTHER PLUS terminal for harsh environments.



Scales are manufactured to strict quality standards in our ISO 9001 certified plant.

## Instrument Columns

Instrument columns are available in carbon steel and stainless steel. They are equipped with the bracket required for mounting your scale terminal.



## VLC Accessories




### Quick-Pit Frames

Our Quick-Pit frame makes it easy to install a pit scale that is square and flush with the floor. Just level the frame in the rough floor opening and pour concrete. The Quick-Pit frame creates its own form. After the concrete has cured, install the scale.




### Stainless Steel Pit Liners

Stainless steel pit liners are ideal for hygienic applications where bacteria and cross-contamination are not acceptable. They make pit construction simple and easy.



### Ramps and Scale Guards

Ramps allow easy access from any side of the scale, eliminating the need to lift heavy loads onto the platform. Protect the scale from side-impact damage by installing scale guards on sides of the scale that do not have ramps. The angled guards prevent costly damage to scale frames and load cells.



Mild steel scales are rugged enough for use in tough industrial environments.



Stainless steel scales are designed for the food industry's harsh, wet environments.



VLC scales are designed for 100% end loading to handle forklift traffic.

Specifications		
Standard Platform Size	3 x 3 to 5 x 7 ft 914 x 914 to 1524 x 2134 mm	4 x 4 to 5 x 7 ft 1219 x 1219 to 1524 x 2134 mm
Available Capacities	2500 to 6000 lb 1000 to 3000 kg	10,000 lb 6000 kg
Platform Height	4 in 102 mm	4 in 102 mm
Construction	Two-part, epoxy-painted mild steel, 304 stainless steel, or 316 stainless steel	
Load Cell Type	Hermetically sealed stainless steel, four 350-ohm load cells	
Load Cell Suspension	Ball-in-cup foot suspension	
Junction Box	Top access, stainless steel NEMA 4X / IP65	
End Loading	100% end loading	
Standard Operating Temp.	14°F to 104°F (-10°C to 40°C)	
Metrological Approvals	NTEP, Measurement Canada, OIML	
Hazardous Area Approvals	FM, CSA, Ex	
Shipping Weight	250 to 750 lb 113 to 340 kg	475 to 925 lb 215 to 420 kg
Compatible METTLER TOLEDO Instruments	HAWK™, PANTHER™, LYNX™, JAGXTREME™, PUMAB™, ID Terminals, or VIPER with second scale kit	

**Options:**

- Ramps: standard or low angle
- Instrument columns
- Foot-locating plates
- Optional load cell cable lengths
- Custom sizes
- Factory calibration (HAWK, PANTHER)
- Quick-Pit frames
- Stainless steel pit liners
- Scale side guards
- Remote junction box mounting
- Safety tread or smooth deck plate

Produced in a facility that is



**METTLER TOLEDO**

**USA**

1900 Polaris Parkway  
Columbus, Ohio 43240  
TEL (800) 523-5123  
(614) 438-4511  
FAX (614) 438-4900

**Latin America**

TEL (01) 305-351-2424  
FAX (01) 305-351-2425

**Headquarters**

8606 Greifensee  
Switzerland  
TEL (41-1) 944 22 11  
FAX (41-1) 944 30 60

**TEL**

Australia (61-3) 9644 5700  
Austria (43-1) 604 1960  
Belgium (32-2) 394 0211  
Brazil (55-11) 4186-7400  
Canada (905) 638-8537  
China (86-110) 6842940  
Croatia (385-1) 29 58 130  
Czech Republic (420-2) 721-23150  
Denmark (45-45) 27 08 00  
France (33-1) 30 97 13 17  
Germany (49-641) 50 70  
Hungary (36-1) 288-4040  
India (91-22) 2857-0808  
Japan (81-3) 335321  
Kazakhstan (7-3272) 50 63 69

**FAX**

(61-3) 9645 3925  
(43-1) 604 2880  
(32-2) 334 0394  
(55-11) 4186-7401  
(905) 681-8036  
(86-519) 684 1991  
(385-1) 29 58 140  
(420-2) 721-23170  
(45-43) 27 08 28  
(33-1) 30 97 16 18  
(49-641) 52051  
(36-1) 288-4050  
(91-22) 2857-5071  
(39-52) 356-2972  
(81-3) 5762-0756  
(7-3272) 96 08 25

**Korea**

(82-2) 3436-3500  
Malaysia (60-3) 7845-5773  
Mexico (52-5) 547 5700  
Netherlands (31-344) 638383  
Norway (47) 22 30 44 90  
Poland (48-22) 651-6232  
Russia (7-095) 921 9211  
Singapore (65) 6890 0011  
Slovak Republic (421-2) 4342-7496  
Slovenia (386-1) 562-1801  
Spain (34-80) 225-7600  
Sweden (46-8) 702 50 00  
Switzerland (41-1) 944 45 45  
Taiwan (886-2) 2579-5955  
Thailand (66-2) 723-0200  
United Kingdom (44-116) 235 7070

**TEL**

**FAX**

(32-2) 3436-3555  
(60-3) 7845-6773  
(52-5) 541 2228  
(31-344) 638390  
(47) 22 32 70 02  
(48-22) 651-7172  
(7-095) 921 6553  
(65) 6890 0012  
(421-2) 4335-7190  
(386-1) 562-1789  
(34-90) 223-0271  
(46-8) 642 62 45  
(41-1) 944 45 10  
(886-2) 2579-5977  
(66-2) 719-6479  
(44-116) 236 6399

**Internet**

[www.mtl.com](http://www.mtl.com)

Specifications subject to change without notice.

© 2003 Mettler-Toledo, Inc.

METTLER TOLEDO®, VLC™, HAWK™, PANTHER®, LYNX®, JAGXTREME™, and PUMAB are trademarks of Mettler-Toledo, Inc.

Printed in USA.

10M0503  
FLOOR SCALES  
K03-F003/089.E

